



## SAFETY DATA SHEET

# HYLINE HLU 31

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Trade name**

HYLINE HLU 31

**Other names / Synonyms**

HYLINE HLU 31

**Product no.**

72202, 72216, 72241

**Unique formula identifier (UFI)**

2UE0-W0D3-Q00H-A8Y6

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses of the substance or mixture**

Alkaline dishwashing liquid for dishwashers.

**Use descriptors (UK REACH)**

Sectors of use	Description
LCS "IS"	Industrial uses: Uses of substances as such or in preparations at industrial sites
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC2	Use in closed, continuous process with occasional controlled exposure
Environmental release category	Description
ERC8a	Wide dispersive indoor use of processing aids in open systems

**Uses advised against**

None known.

### 1.3. Details of the supplier of the safety data sheet

▼ **Company and address**

**HOBART GmbH**  
Robert-Bosch-Strasse 17  
DE-77656 Offenburg  
Germany  
www.hobart.de

▼ **E-mail**

info@hobart.de

**Revision**

14/02/2023

**SDS Version**

2.0

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).  
See section 4 "First aid measures".

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Met. Corr. 1; H290, May be corrosive to metals.  
Skin Corr. 1A; H314, Causes severe skin burns and eye damage.  
Eye Dam. 1; H318, Causes serious eye damage.

Aquatic Acute 1; H400, Very toxic to aquatic life.  
 Aquatic Chronic 2; H411, Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

### Hazard pictogram(s)



### Signal word

Danger

### Hazard statement(s)

May be corrosive to metals. (H290)  
 Causes severe skin burns and eye damage. (H314)  
 Very toxic to aquatic life with long lasting effects. (H410)

### Safety statement(s)

#### General

-

#### Prevention

Wear eye protection/protective gloves/protective clothing. (P280)  
 Avoid release to the environment. (P273)

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
 Continue rinsing. (P305+P351+P338)  
 Immediately call a POISON CENTER/doctor. (P310)

#### Storage

-

#### Disposal

-

### Hazardous substances

Potassium Hydroxide  
 Sodium hypochlorite

### Additional labelling

UFI: 2UE0-W0D3-Q00H-A8Y6

## 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.  
 This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Potassium Hydroxide	CAS No.: 1310-58-3 EC No.: 215-181-3 UK-REACH: Index No.: 019-002-00-8	10 - 15%	Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Corr. 1A, H314 Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	
Sodium hypochlorite	CAS No.: 7681-52-9 EC No.: 231-668-3 UK-REACH: Index No.: 017-011-00-1	1 - 5%	EUH031 Met. Corr. 1, H290 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1)	
Potassium silicate	CAS No.: 1312-76-1	1 - 5%	Skin Irrit. 2, H315	



Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

	EC No.: 215-199-1 UK-REACH: Index No.:		Eye Irrit. 2, H319
2-Phosphonobutan-1,2,4-tricarboxylic acid	CAS No.: 37971-36-1 EC No.: 253-733-5 UK-REACH: Index No.:	1 - 5%	Met. Corr. 1, H290 Eye Irrit. 2, H319

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

-

#### Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law

5% - 15%

- Phosphates
- < 5%
- Chlorine-based bleaching Agents
- Phosphonates
- Polycarboxylates

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

##### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

##### Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

##### Eye contact

Upon irritation of the eye: Remove contact lenses. Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

##### Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit returning mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

##### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

##### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides

Oxygen, hypochlorous acid, chlorine.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2R

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

It is recommended to install waste collection trays in order to prevent emissions to the waste water system and surrounding environment.

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Store in a container with a resistant inner liner.

#### Recommended storage material

Always store in containers of the same material as the original container.

#### Storage temperature

-5 - 35 °C

#### Incompatible materials

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Potassium Hydroxide

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

▼ DNEL

2-Phosphonobutan-1,2,4-tricarboxylic acid

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	2.1 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	4.2 mg/kg bw/day
Short term – Systemic effects - General population	Dermal	40 mg/kg bw/day
Short term – Systemic effects - Workers	Dermal	80 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	3.7 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	15 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	79 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	158 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	2.1 mg/kg bw/day
Short term – Systemic effects - General population	Oral	65 mg/kg bw/day

Pentasodium triphosphate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	375 µg/kgbw/day
Long term – Systemic effects - Workers	Dermal	375 µg/kgbw/day
Short term – Systemic effects - General population	Dermal	375 µg/kgbw/day
Short term – Systemic effects - Workers	Dermal	375 µg/kgbw/day
Long term – Systemic effects - General population	Inhalation	661 µg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	661 µg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	660 µg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	661 µg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	750 µg/kgbw/day
Short term – Systemic effects - General population	Oral	750 µg/kgbw/day

Potassium Hydroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	1 mg/m <sup>3</sup>

Potassium silicate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	740 µg/kgbw/day
Long term – Systemic effects - Workers	Dermal	1.49 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.38 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	5.61 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	740 µg/kgbw/day

Potassium tripolyphosphate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Inhalation	1.45 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	5.88 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	70 mg/kg bw/day

Sodium hypochlorite

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1.55 mg/m <sup>3</sup>

Long term – Local effects - Workers	Inhalation	1.55 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Inhalation	1.55 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	1.55 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	3.1 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	3.1 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	3.1 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	3.1 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	260 µg/kgbw/day

▼ PNEC

2-Phosphonobutan-1,2,4-tricarboxylic acid

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		666 µg/L
Freshwater sediment		2.398 mg/kg
Intermittent release (freshwater)		10.42 mg/L
Marine water		66 µg/L
Marine water sediment		239.8 µg/kg
Sewage treatment plant		50.4 mg/L
Soil		88.56 µg/kg

Pentasodium triphosphate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		5 µg/L
Freshwater sediment		190 µg/kg
Intermittent release (freshwater)		50 µg/L
Marine water		5 µg/L
Soil		140 µg/kg

Potassium silicate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		7.5 mg/L
Intermittent release (freshwater)		7.5 mg/L
Marine water		1 mg/L
Sewage treatment plant		348 mg/L

Sodium hypochlorite

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		210 ng/L
Intermittent release (freshwater)		260 ng/L
Marine water		42 ng/L
Predators		11.1 mg/kg
Sewage treatment plant		4.69 mg/L

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

#### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

#### Measures to avoid environmental exposure


Keep damming materials near the workplace. If possible, collect spillage during work.

### 8.3. Individual protection measures, such as personal protective equipment


#### Generally

Use only UKCA marked protective equipment.


#### Respiratory Equipment

Type	Class	Colour	Standards	
In case of inadequate ventilation use suitable respirator - B/P2			EN143/EN149	


#### Skin protection

Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	

#### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl rubber (≥0,4 mm). Neoprene (≥0,5 mm). Nitrile rubber (≥0,7 mm).	≥ 0,4 - 0,7	≥ 480	EN374	

#### Eye protection

Type	Standards	
Safety glasses	EN166	

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Yellowish

#### Odour / Odour threshold

Chlorine

#### pH

> 13

#### pH in solution

~ 12,0 (1%)

#### Density (g/cm<sup>3</sup>)

~ 1,35

#### Kinematic viscosity

< 30 mPas

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

#### Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

**Softening point/range (waxes and pastes) (°C)**

Does not apply to liquids.

**Boiling point (°C)**

Testing not relevant or not possible due to the nature of the product.

**Vapour pressure**

Testing not relevant or not possible due to the nature of the product.

**Relative vapour density**

Testing not relevant or not possible due to the nature of the product.

**Decomposition temperature (°C)**

Testing not relevant or not possible due to the nature of the product.

**Data on fire and explosion hazards****Flash point (°C)**

Testing not relevant or not possible due to the nature of the product.

**Flammability (°C)**

Testing not relevant or not possible due to the nature of the product.

**Auto-ignition temperature (°C)**

Testing not relevant or not possible due to the nature of the product.

**Lower and upper explosion limit (% v/v)**

Testing not relevant or not possible due to the nature of the product.

**Solubility****Solubility in water**

Testing not relevant or not possible due to the nature of the product.

**n-octanol/water coefficient**

Testing not relevant or not possible due to the nature of the product.

**Solubility in fat (g/L)**

Testing not relevant or not possible due to the nature of the product.

**9.2. Other information****VOC (g/l)**

0

**Other physical and chemical parameters**

No data available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

Contact with acids liberates toxic gas.

Reacts violently with alkali metals, metal powders, oxidizing materials and amines.

**10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

**10.3. Possibility of hazardous reactions**

Contact with acids liberates toxic gas.

**10.4. Conditions to avoid**

Protect from sunlight. Do not expose to temperatures exceeding 20 °C/68 °F.

**10.5. Incompatible materials**

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

**10.6. Hazardous decomposition products**

Oxygen, hypochlorous acid, chlorine.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law****▼ Acute toxicity**

Product/substance Potassium Hydroxide

Test method:

Species: Rat

Route of exposure: Oral

Test: LD50

Result: 333 mg/kg

Other information:

Product/substance Potassium triphosphate  
 Test method:  
 Species: Rat  
 Route of exposure: Oral  
 Test: LD50  
 Result: > 2000 mg/kg  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: OECD 401  
 Species: Rat  
 Route of exposure: Oral  
 Test: LD50  
 Result: 1100 mg/kg  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: OECD 403  
 Species: Rat  
 Route of exposure: Inhalation  
 Test: LC50  
 Result: > 10,5 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: OECD 402  
 Species: Rabbit  
 Route of exposure: Dermal  
 Test: LD50  
 Result: > 20000 mg/kg  
 Other information:

Product/substance Potassium silicate  
 Test method:  
 Species: Rat  
 Route of exposure: Oral  
 Test: LD50  
 Result: > 5000 mg/kg bw  
 Other information:

Product/substance Polyacrylic acid sodium salt  
 Test method: OECD 401  
 Species: Rat  
 Route of exposure:  
 Test: LD50  
 Result: >5000 mg/kg bw/day  
 Other information:

Product/substance Polyacrylic acid sodium salt  
 Test method:  
 Species: Rabbit  
 Route of exposure:  
 Test: LD50  
 Result: >5000 mg/kg bw/day  
 Other information:

Product/substance 2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Test method:  
 Species: Rat  
 Route of exposure: Oral  
 Test: LD50  
 Result: > 6500 mg/kg  
 Other information:

Product/substance 2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Test method:

---

Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	> 4000 mg/kg
Other information:	

---

Product/substance	2-Phosphonobutan-1,2,4-tricarboxylic acid
Test method:	
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50
Result:	> 1979 mg/m <sup>3</sup>
Other information:	

#### ▼ Skin corrosion/irritation

Product/substance	Sodium hypochlorite
Test method:	
Species:	
Duration:	No data available.
Result:	Adverse effect observed (Corrosive)
Other information:	

Causes severe skin burns and eye damage.

#### ▼ Serious eye damage/irritation

Product/substance	Sodium hypochlorite
Test method:	
Species:	
Duration:	No data available.
Result:	Adverse effect observed (Causes serious eye damage)
Other information:	

---

Product/substance	2-Phosphonobutan-1,2,4-tricarboxylic acid
Test method:	
Species:	
Duration:	No data available.
Result:	Adverse effect observed (Irritating)
Other information:	

Causes serious eye damage.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### Endocrine disrupting properties

No evidence for endocrine disrupting properties.

#### Other information

None known.

## SECTION 12: Ecological information

### 12.1. ▼ Toxicity

Product/substance Potassium Hydroxide  
 Test method: LC50  
 Species: Fish, *Gambusia affinis*  
 Compartment:  
 Duration: No data available.  
 Test:  
 Result: 80 mg/l  
 Other information:

Product/substance Potassium tripolyphosphate  
 Test method: LC0  
 Species: Fish, Golden Orfey  
 Compartment:  
 Duration: No data available.  
 Test:  
 Result: ~ 800 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method:  
 Species: Bacteria  
 Compartment:  
 Duration: 3 hours  
 Test:  
 Result: > 3 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: LC50  
 Species: Fish, *Oncorhynchus mykiss*  
 Compartment:  
 Duration: 96 hours  
 Test:  
 Result: 0,06 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: LC50  
 Species: Fish, *Oncorhynchus mykiss*  
 Compartment:  
 Duration: 96 hours  
 Test:  
 Result: 0,032 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: NOEC  
 Species: Fish, *Menidia peninsulae*  
 Compartment:  
 Duration: 28 days  
 Test:  
 Result: 0,04 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method:  
 Species: Algae, *Pseudokirchneriella subcapitata*  
 Compartment:  
 Duration: No data available.  
 Test:  
 Result: 0,04 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method:  
 Species: Algae, Myriophyllum spicatum  
 Compartment:  
 Duration: 96 hours  
 Test:  
 Result: 0,1 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: OECD 202  
 Species: Crustacean, Daphnia magna  
 Compartment:  
 Duration: 48 hours  
 Test:  
 Result: 0,141 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: OECD 202  
 Species: Crustacean, Ceriodaphnia dubia  
 Compartment:  
 Duration: 48 hours  
 Test:  
 Result: 0,035 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: EC50  
 Species: Crustacean, Crassostrea virginica  
 Compartment:  
 Duration: 48 hours  
 Test:  
 Result: 0,026 mg/l  
 Other information:

Product/substance Sodium hypochlorite  
 Test method: NOEC  
 Species: Crustacean, Crassostrea virginica  
 Compartment:  
 Duration: 14 days  
 Test:  
 Result: 0,007 mg/l  
 Other information:

Product/substance Potassium silicate  
 Test method: LC50  
 Species: Fish, Leuciscus idus  
 Compartment:  
 Duration: 48 hours  
 Test:  
 Result: > 146 mg/l  
 Other information:

Product/substance Potassium silicate  
 Test method: EC50  
 Species: Crustacean, Daphnia magna  
 Compartment:  
 Duration: 24 hours  
 Test:  
 Result: > 146 mg/l  
 Other information:

Product/substance Polyacrylic acid sodium salt  
 Test method: DIN 38412  
 Species: Leuciscus idus  
 Compartment:

Duration:  
 Test: LC50  
 Result: >100 mg/L  
 Other information:

Product/substance Polyacrylic acid sodium salt  
 Test method:  
 Species: Algae, *Selenastrum capricornutum*  
 Compartment:  
 Duration:  
 Test: LC50  
 Result: >100 mg/L  
 Other information:

Product/substance 2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Test method: OECD 204  
 Species: Fish, *Danio rerio*  
 Compartment:  
 Duration: No data available.  
 Test:  
 Result: > 500 mg/l  
 Other information:

Product/substance 2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Test method: OECD 204  
 Species: Fish, *Danio rerio*  
 Compartment:  
 Duration: 14 days  
 Test:  
 Result: > 500 mg/l  
 Other information:

Product/substance 2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Test method: EC50  
 Species: Algae, *Desmodesmus subspicatus*  
 Compartment:  
 Duration: No data available.  
 Test:  
 Result: > 500 mg/l  
 Other information:

Product/substance 2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Test method: EC10  
 Species: Algae, *Desmodesmus subspicatus*  
 Compartment:  
 Duration: No data available.  
 Test:  
 Result: > 16,65 < 32,75 mg/l  
 Other information:

Product/substance 2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Test method: OECD 202  
 Species: Crustacean, *Daphnia magna*  
 Compartment:  
 Duration: No data available.  
 Test:  
 Result: > 535,5 mg/l  
 Other information:

Product/substance 2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Test method: OECD 211  
 Species: Crustacean, *Daphnia magna*  
 Compartment:  
 Duration: 21 days  
 Test:  
 Result: 52 mg/l  
 Other information:

### 12.2. ▼ Persistence and degradability

The product is easily biodegradable.

Product/substance            Sodium hypochlorite  
 Biodegradable:            Yes  
 Test method:  
 Result:

Product/substance            2-Phosphonobutan-1,2,4-tricarboxylic acid  
 Biodegradable:            Yes  
 Test method:                OECD 301 A  
 Result:                        30 - 40 %

### 12.3. Bioaccumulative potential

The product is not bioaccumulating

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### 12.6. Endocrine disrupting properties

No evidence for endocrine disrupting properties.

### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

This product contains substances, which may cause adverse long-term effects to the aquatic environment.

## SECTION 13: Disposal considerations

### Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

HP 14 – Ecotoxic

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

### EWC code

07 06 01\*            Aqueous washing liquids and mother liquors



### Specific labelling





Not applicable.

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1719	CAUSTIC ALKALI LIQUID, N.O.S. (Potassium Hydroxide, Sodium hypochlorite)	Class: 8 Labels: 8 Classification code: C5  	II	Yes	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN1719	CAUSTIC ALKALI LIQUID, N.O.S. (Potassium Hydroxide, Sodium	Class: 8 Labels: 8 Classification code: C5	II	Yes	Limited quantities: 1 L EmS: F-A S-B See below for

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
		hypochlorite)	 			additional information.
IATA	UN1719	CAUSTIC ALKALI LIQUID, N.O.S. (Potassium Hydroxide, Sodium hypochlorite)	Class: 8 Labels: 8 Classification code: C5	II	Yes	See below for additional information.
			 			

\* Packing group

\*\* Environmental hazards

#### Additional information

ADR / See Table A, Section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 2R

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

E1 - ENVIRONMENTAL HAZARDS, Qualifying quantity (lower-tier): 100 tonnes / (upper-tier): 200 tonnes

#### Additional information

Not applicable.

#### Sources

The Management of Health and Safety at Work Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Control of Major Accident Hazards (COMAH) Regulations 2015.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

**SECTION 16: Other information****Full text of H-phrases as mentioned in section 3**

H314, Contact with acids liberates toxic gas.  
H290, May be corrosive to metals.  
H302, Harmful if swallowed.  
H314, Causes severe skin burns and eye damage.  
H315, Causes skin irritation.  
H318, Causes serious eye damage.  
H319, Causes serious eye irritation.  
H400, Very toxic to aquatic life.  
H410, Very toxic to aquatic life with long lasting effects.

**The full text of identified uses as mentioned in section 1**

LCS "IS" = Industrial uses: Uses of substances as such or in preparations at industrial sites  
LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
PROC2 = Use in closed, continuous process with occasional controlled exposure  
PC35 = Washing and Cleaning Products (including solvent based products)  
ERC8a = Wide dispersive indoor use of processing aids in open systems

**Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EINECS = European Inventory of Existing Commercial chemical Substances  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

**Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.  
The classification of the substance/mixture in regard of environmental hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.



Compiled in accordance with REACH Regulation (EC) No 1907/2006, as retained and amended in UK law

---

▼ The safety data sheet is validated by  
JUBO

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en