# Spare parts catalog

Updated 1/25/2026

## Traditional coffee machines




# M40

## INDEX

M40 - GENERIC TABLE ..... 3
M40 - PARTS RECOMMENDED ..... 5
M40 - SPARE PARTS SUGGESTED ..... 6
KIT PPM M40 ..... 8
M40 - HYDRAULIC CIRCUIT ..... 10
M40 - CIRCUITO IDRAULICO ..... 11
M40 - COACHWORK ..... 12
M40 - CUPS-WARMER ..... 14
M40 - CONTROL PANEL ..... 16
M40 - WATER AND STEAM TAPS ..... 18
M40 - WATER AND STEAM TAPS 2025 ..... 20
M40 - TURBOSTEAM ..... 22
M40 - BOILER ..... 24
M40 - BOILER 2025 ..... 26
M40 - COFFEE BOILER ..... 28
M40 - COFFEE BOILER 2025 ..... 30
M40 - DELIVER GROUP ..... 32

M40 - DELIVER GROUP 2025 ..... 34
M40 - HYDRAULIC COMPONENTS ..... 36
M40 - VOLUMETRIC PUMP ..... 38
VOLUMETRIC PUMP 2025 ..... 40
M40 - ELECTRICAL BOX ..... 42
M40 - FILTERHOLDERS AND FILTERS ..... 44

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| - | 534393910F | VOLUMETRIC COUNTER FM57RT-C-CO 1/8GAS | | |
| | ⇄ 534393900F | VOL.COUNTER FM57RT-C-CO 1/8GAS (M40) | | |
| - | 978566030F | STRAIGHT WATER TAP ASSEMBLY NSF 372 | | |
| - | 714765010F | COLD TOUCH STEAM WAND ASS. | | |
| - | 402209010 | OR 10.82 X 1.78 NSF | | |
| - | 714095010 | FTH BELL LOCKING SCREW (M40) | | |
| - | 532394300 | TUBO SCARICO AIRFLEX/PU ET-N L=2000 | | |
| - | 457400002F | DISCO DOCCIA CW510L TEAB+ | | |
| - | 402225010 | OR 9,13X2,62VITON NSF | | |
| - | 532175710 | MORSETTIERA OK501 C+C 6 P FASTON VERT. | | |
| - | 985510030F | ASSIEME TUBI TSCT MEDIO | | |
| - | 533896540R | EV 3VIE BASETTA 24V cc RUBINO | | |
| | ⇄ 533896530R | EV 3VIE BASETTA 24V cc RUBINO | | |
| - | 714288000F | ADATT. RACC. 1/4 GAS FONDO CALDAIA | | |
| - | 714934000 | KIT CIRCUITO CARICO-MISC. ACQUA M40 | | |
| - | 538176010 | RELE 230VAC 25A RF1A23D25 | | |
| | ⇄ 538176000 | RELAY 230V AC 25A RF1A23M25 (M40) | | |
| - | 714291010 | LOGO PRESPAZIATO LA CIMBALI NEW | | |
| - | 714166010 | REAR PANEL LOGO 2GR (M40) | | |
| - | 714155020 | PANNELLO POST. LOGO 3GR P301 | | |
| | ⇄ 714155010 | REAR PANEL LOGO 3GR (M40) | | |
| - | 711074020 | TARGA MARCHIO "LA CIMBALI" | | |
| - | 533896540R | EV 3VIE BASETTA 24V cc RUBINO | | |
| - | 532501610R | SO 2500-6-1/8 TERM. GOM. F. C/TEAB+ | | |
| - | 714154030 | PARATOIA 3GR P301 | | |
| | ⇄ 714558030 | PARTITION ASS. 3GR (M40) | | |
| - | 714201020 | PARATOIA 2GR P301 | | |
| | ⇄ 714572020 | PARTITION ASS. 2GR (M40) | | |
| - | 536334000 | 2GR 3GR LOW VOLTAGE (M40) | | |
| - | 537067520 | SCHEDA CPU IDEA RIC. | | |
| | ⇄ 537067510 | IDEA CPU BOARD (SP.PART) | | |
| - | 532501520R | SO 1100-6-1/4 RAC. DIRITTO C/TEAB+ | | |
| - | 714372000 | GRIGLIA C/TONDINI SX | | |
| | ⇄ 714172010 | LH TRAY GRILLE (M40) | | |
| - | 714370000 | GRIGLIA C/TONDINI CENTRALE | | |
| | ⇄ 714171010 | CENTRAL TRAY GRILLE (M40) | | |
| - | 714371000 | GRIGLIA C/TONDINI DX | | |
| | ⇄ 714170010 | RH TRAY GRILLE (M40) | | |
| - | 714369000 | GRIGLIA ALZATINA M40 | | |
| | ⇄ 714241010 | TRAY ELEVATION (M40) | | |
| - | 536335010 | COMMAND PANEL WIRING 2-3GR (M40) | | |
| - | 714953010F | ASS.TUBO SENSORE PRESSIONE M40 | | |
| | ⇄ 714953000F | ASS.TUBO SENSORE PRESSIONE M40 | | |
| - | 714401000F | GUARNIZIONE GRUPPO CAFFE' CON SMUSSO | | |

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| - | 401360000 | O-RING 11,11X1,78 | | |
| - | 537070400 | ASS.MOTORE POMPA RIC | | |
| - | 714092020 | RISCALDATORE GRUPPO P301 | | |
| - | 530296120 | MOTORE UNIFICATO SMA 220÷240V 50/60HZ | | |
| - | 714369000 | GRIGLIA ALZATINA M40 | | |
| - | 402210010 | OR 6.75 X 1.78 NSF | | |
| - | 220002013 | TUBO SILICONE D.3X6 | | |
| - | 220002016 | TUBO SILICONE DIAMETRO 6 X 10 | | |
| - | 220002017 | TUBO SILICONE DIA 10-15 | | |

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| - | 714884000 | RIC.SCHEDA SERVIZI ACQUA M40 | | |
| - | 714092020 | RISCALDATORE GRUPPO P301 | | |
| | ⇄ 714092010 | GROUP HEATER (M40) | | |
| - | 713741000 | TRIAC BOARD | | |
| - | 402277010 | OR 46.99 X 5.33 VITON | | |
| - | 711701020 | STEAM KNOB M200 | | |
| - | 772502000F | RESISTENZA BOILER 2400W 230V | | |
| - | 714402000F | GUARNIZIONE GRUPPO CAFFE' SILICONE | | |
| - | 772503000F | RESISTENZA CALDAIA 4800W 230V DIFF. | | |
| - | 533896540R | EV 3VIE BASETTA 24V cc RUBINO | | |
| - | 536100500 | MOTOR 208-240V 50/60HZ | | |
| - | 532664200F | NON-RETURN VALVE DIAM 6 | | |
| - | 533906600F | 3-WAY VALVE RPE DIAM 2.7MM -3°2MM | | |
| - | 533906000F | 2-WAY VALVE RPE | | |
| - | 485154000 | CLIP | | |
| - | 533181500F | VOLUM.PUMP 180L/H PPS W/TEVO CONNECTORS | | |
| - | 534393910F | VOLUMETRIC COUNTER FM57RT-C-CO 1/8GAS | | |
| - | 531195300 | UNIPOL. THERMOSTAT TY60R T.110°C M4-M40 | | |
| - | 714094000 | GROUP TEMPERATURE PROBE (M40) | | |
| - | 533897400 | SOLENOID VALVE 24V DC 3/4G | | |
| - | 714886000 | RIC.SCHEDA E DISPLAY M40 | | |
| - | 940332000 | INLET FILTER | | |
| - | 537067520 | SCHEDA CPU IDEA RIC. | | |
| - | 714765010F | COLD TOUCH STEAM WAND ASS. | | |
| | ⇄ 714765000F | COLD TOUCH STEAM WAND ASS. M40) | | |
| - | 533906300F | EXPANSION VALVE 12BAR RPE | | |
| - | 538165000 | POWER SUPPLY | | |
| - | 714889000 | RIC.VITE GRUPPO CON OR | | |
| - | 538176010 | RELE 230VAC 25A RF1A23D25 | | |
| - | 947987010 | LIGHT AND TURBOSTEAM SUPPORT CARD | | |
| - | 714762000F | ROD W/GASKET SEAT ASS. (M40) | | |
| - | 400293000 | O-RING 4.48X1.78 | | |
| - | 530296120 | MOTORE UNIFICATO SMA 220÷240V 50/60HZ | | |
| - | 533182010F | POMPA VOLUM.180L/H PPS C/RACCORDI TEVO M | | |
| | ⇄ 533182000F | POMPA VOLUM.180L/H PPS C/RACCORDI TEVO M | | |
| - | 531197700 | PRESSURE SENS. 2 BAR | | |

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| - | 531503520 | CONTACTOR 4P 220/240V | | |
| - | 532024500 | SWITCH | | |
| - | 531404200 | PHASE FILTER 115/250V 50/60 HZ | | |
| - | 536335010 | COMMAND PANEL WIRING 2-3GR (M40) | | |
| - | 981054000 | PUMPING HEAD COUPLING | | |
| - | 531196010 | PRESSURE GAUGE | | |
| - | 531494300 | METAL. COND. 10 UF DUCATI 416.33.27 | | |
| - | 485078010 | GASKET | | |
| - | 402209010 | OR 10.82 X 1.78 NSF | | |
| - | 401183010 | GASKET 22X17X1,5 INLET VALVE | | |
| - | 402223010 | GASKET, OR 7.65X1.78 TS PROBE | | |
| - | 532305000 | FILTER | | |
| - | 402320000F | 21X15X2 NSF SEAL | | |
| - | 568101000 | RING SEEGER | | |
| - | 402321000F | TAP SEAL | | |
| - | 402219000 | O-RING 10,78X2,62 NF | | |
| - | 978566030F | STRAIGHT WATER TAP ASSEMBLY NSF 372 | | |
| | ⇄ 978566020F | STRAIGHT WATER TAP ASSEMBLY NSF 372 | | |
| - | 532656100 | G1/4 M RUBB.CONN. | | |
| - | 532665300F | NOZZLE DIAM. 0.8MM - QUICK COUPLING 6MM | | |
| - | 532664300F | NOZZLE DIAM 0,6 | | |
| - | 532659000 | QUICK Y COUPLING | | |
| - | 532655600 | STRAIGHT CONNECTOR G1/8 M | | |
| - | 532655900 | G1/8 M RUBB.CONN. | | |
| - | 532656700 | T-SHAPED CONNECTOR | | |
| - | 532657100 | ELBOW CONNECTOR WITH QUICK COUPLING | | |
| - | 532660000F | ELBOW JOINT 1/8 M D.4 F ADJUST. | | |
| - | 532658700F | 90 COUPLING 930X4M-6F-1/8 | | |
| - | 532656600 | T-SHAPED CONNECTOR | | |
| - | 532656800 | D.6-G1/8 M VERT. T.CONN. | | |
| - | 532659800F | STRAIGHT CONN. 1/8M D.4F | | |
| - | 532664400F | T-SHAPED CONNECTOR | | |
| - | 532660200F | ELBOW JOINT 1/4 M D.6 F ADJUST. | | |
| - | 710119000 | DRAINAGE GASKET | | |
| - | 532390600 | DRAIN PIPE | | |
| - | 532306000F | WIRED TUBE 3/8-3/4GAS AT 90 DEGREES | | |
| - | 220000022 | RILSAN PIPE 4X6 | | |
| - | 972390000 | TEFLON PFA PIPE DIAM 4X6 L:860MM | | |
| - | 714880000 | TUBE 4X2X1000 PACKAGED (SP.PART) (M40) | | |
| - | 457504000 | SHOWER INOX | | |
| - | 457400002F | DISCO DOCCIA CW510L TEAB+ | | |
| - | 593811010 | SCREW | | |
| - | 593815010 | SCREW | | |
| - | 714255000F | COFFEE GROUP NOZZLE 0.5MM (M40) | | |

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| - | 946278000 | NOZZLE DIAM. 0.8MM | | |
| - | 714260005F | MANUAL BALL VALVE FOR TUBE D.4 (M40) | | |
| - | 714881000 | COFFEE GR M40 W/PACKAGING (SP.PART) (M40) | | |
| - | 532392700 | SAFETY VALVE 2,3 1/4G | | |
| - | 966492000 | SAFETY VALVE PROTECTION | | |
| - | 418941020 | ANTI-UNDERTOW VALVE ASS. | | |
| - | 401250010 | GASKET § 17,9X14,2X1,5 | | |
| - | 537053000 | PROBE LEVEL L=69MM ASS. | | |
| - | 531194810 | COFFEE BOILER PROBE | | |
| - | 531194720 | SFTY. THERMOSTAT | | |
| - | 714583010F | ASS. TERMOCOPPIA MEDIA TSCT M8 | | |
| - | 485626010F | LONG THERMOCOUPLE ASSEMBLY | | |
| - | 402250010 | VITON OR 3.68X1.78 NSF | | |
| - | 402218010 | OR 14X1.78 NSF | | |
| - | 956136010 | COMPRESSOR NOZZLE DIAM. 0.35 | | |
| - | 534600300 | SILENCER | | |
| - | 938897000 | 24 "TURBOSTEAM" COMPRESSOR | | |
| - | 957854010F | CIMBALI BRASS/DESMO 1-WAY FILTER-HOLDER | | |
| - | 957853010F | CIMBALI BRASS/DESMO 2-WAY FILTER-HOLDER | | |
| - | 458101000 | SPRING FILTERHOLDER | | |
| - | 457249010 | 1 CUP FILTER | | |
| - | 457163000 | 1 CUP FILTER | | |
| - | 457232000 | FILTER 1 COFFEE | | |
| - | 457233000 | FILTER 2 COFFEE | | |
| - | 536335020 | P301 CABLAG. CRUSCOTTO 3GR | | |
| - | 536391000 | Cab Cruscotto M40 2GR | | |
| - | 536392000 | Cab LUCI - IDEA M40 2 - 3GR | | |
| - | 220002016 | TUBO SILICONE DIAMETRO 6 X 10 | | |

KIT "V2" VALVES PPM M40


KIT "V3" VALVES PPM M40


KIT "S" STEAM PPM M40


KIT "C2" COFFEE PPM M40

KIT "C3" COFFEE PPM M40


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 714930000 | V2 VALVES KIT PPM M40 | | |
| 2 | 714931000 | V3 VALVES KIT PPM M40 | | |
| 3 | 714929000 | S STEAM KIT PPM M40 | | |
| 4 | 714926000 | C2 KIT COFFEE PPM M40 | | |
| 5 | 714927000 | C3 KIT COFFEE PPM M40 | | |


Bv
Mn
Vr
Vr
In
(0.8)
Evc
AK-E01
Va
Vs
SL
AK-C02
Ca
AK-D01
Bv
Ets*
MC*
ts*
AK-D02
AK-J01
MP
Evi
Fi
Vr
AK-C01
Bo
Sc
AK-E01
Ev
Eac
In
(0.6)
AK-D01
Bac
In
(0.5)
DV
G
In
(0.5)
DV
G
In
(0.5)
DV
AK-H01
G
AK-M01



Bv
Mn
Vr
Vr
Evc
AK-D01A
In
(0.6)
In
(0.6)
AK-D01A
Va
Vs
SL
SP
AK-C02A
Ca
AK-D01
Bv
Ets*
MC*
ts*
AK-D02
AK-J01
MP
Evi
Fi
Vr
AK-C01A
Bo
AK-D01A
Eac
Sc
AK-E01
In
(0.5-0.8)
DV
G
In
(0.5-0.8)
DV
G
In
(0.5-0.8)
DV
AK-H01
G
AK-M01


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
AK-D01
AK-B02
AK-K01
AK-B03
AK-D01
M40


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 714291010 | LOGO PRESPAZIATO LA CIMBALI NEW | | |
| | ⇄ 714291000 | LA CIMBALI NEW PRE-SPACED LOGO (M40) | | |
| 2 | 714155020 | PANNELLO POST. LOGO 3GR P301 | | |
| 2 | 714166020 | PANNELLO POSTERIORE LOGO 2GR P301 | | |
| 3 | 714156014 | REAR PANEL 3GR (M40) | | |
| 3 | 714165014 | REAR PANEL 2GR (M40) | | |
| 4 | 714966000 | ASS. FIANCATA DX NERA C/FREGIO P301 RIC | C:N | |
| 4 | 714968000 | ASS. FIANCATA DX BIANCA C/FREGIO P301 RI | C:W | |
| 5 | 714158004 | REAR RH SIDE PANEL (M40) | | |
| 6 | 714123000 | RH RETAINER PANEL 3GR (M40) | | |
| 6 | 714204000 | RH RETAINER PANEL 2GR (M40) | | |
| 7 | 532805200 | ADJ. FOOT NYLON/INOX H=57-68 M10X19.5 | | |
| 8 | 714187000 | | | |
| 9 | 532807200 | HEXAGONAL FOOT CH30 M10X25 (M40) | | |
| 10 | 714124000 | LH RETAINER PANEL 3GR (M40) | | |
| 10 | 714205000 | LH RETAINER PANEL 2GR (M40) | | |
| 11 | 714154030 | PARATOIA 3GR P301 | | |
| 11 | 714201020 | PARATOIA 2GR P301 | | |
| 12 | 711074020 | TARGA MARCHIO "LA CIMBALI" | | |
| | ⇄ 711074010 | "LA CIMBALI" PLATE | | |
| 13 | 714371000 | GRIGLIA C/TONDINI DX | | |
| 14 | 714369020 | GRIGLIA ALZATINA M40 | | |
| 15 | 714370000 | GRIGLIA C/TONDINI CENTRALE | | |
| 16 | 711100000 | DISCHARGE UPPER BODY | | |
| 17 | 710119000 | DRAINAGE GASKET | | |
| 18 | 710118000 | LOWER DRAINAGE BODY | | |
| 19 | 532394300 | TUBO SCARICO AIRFLEX/PU ET-N L=2000 | | |
| | ⇄ 532394000 | DRAINAGE TUBE L=2000 | | |
| 20 | 714372000 | GRIGLIA C/TONDINI SX | | |
| 21 | 714568000 | TRAY ASS. 3GR (M40) | | |
| 21 | 714570000 | TRAY ASS. 2GR (M40) | | |
| 22 | 714242000 | SPLASHBACK COUPLING PLATE (M40) | | |
| 23 | 714131000 | DATA PLATE M40 | | |
| 24 | 714965000 | ASS. FIANCATA SX NERA C/FREGIO P301 RIC | C:N | |
| 24 | 714967000 | ASS. FIANCATA SX BIANCA C/FREGIO P301 RI | C:W | |
| 25 | 714157004 | REAR LH SIDE PANEL (M40) | | |


1
2
3
4
5


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 714293000 | CUP-WARMER GRILLE 3GR 425X87 (M40) | | |
| 2 | 915194000 | PLASTIC GRATE 385X425 | | |
| 3 | 714292000 | CUP-WARMER 2 GRILLE 425X249 (M40) | | |
| 4 | 714603000 | ASS. SCALDATAZZE C/RES. 3GR P301 SX RIC | | |
| 5 | 714601000 | ASS. SCALDATAZZE C/RES. 2GR P301 SX RIC | | |
| 5 | 714602000 | ASS. SCALDATAZZE C/RES. 2GR P301 DX RIC | | |


AK-K01
7
6
2
4
3
1
5

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 997075000 | LED | | |
| 2 | 536335020 | P301 CABLAG. CRUSCOTTO 3GR | | |
| 2 | 536391000 | Cab Cruscotto M40 2GR | | |
| 3 | 714594004 | COMM.PAN. 3GR W/SCR.BRACKETS-WHITE (M40) | C:W | |
| 3 | 714590004 | COMM.PAN. 2GR W/SCR.BRACKETS-BLACK (M40) | C:N | |
| 3 | 714593004 | COMM.PAN. 2GR W/SCR.BRACKETS-WHITE (M40) | C:W | |
| 3 | 714591004 | COMM.PAN. 3GR W/SCR.BRACKETS-BLACK (M40) | C:N | |
| 4 | 714886000 | RIC.SCHEDA E DISPLAY M40 | | |
| 5 | 714884000 | RIC.SCHEDA SERVIZI ACQUA M40 | | |
| 6 | 714790010 | TOUCH CONTROL PANEL 2GR (M40) | | |
| 6 | 714791010 | TOUCH CONTROL PANEL 3GR (M40) | | |
| 7 | 536392000 | Cab LUCI - IDEA M40 2 - 3GR | | |


31
33
32
19
20
21
27
28
29
26
5
6
7
8
35
36
30
23
24
25
AK-E01
AK-C01
1
2
1
10
1
10
1
16
17
A
A
1
3
4
5
6
7
8
12
13
14
37
38


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 220000022 | RILSAN PIPE 4X6 | | |
| 2 | 532657100 | ELBOW CONNECTOR WITH QUICK COUPLING | | |
| 3 | 532656000 | G1/8 M RUBB.CONN. | | |
| 4 | 484016002F | WATER DISPENSER CONNECTOR CW510L TEA B | | |
| 5 | 401183010 | GASKET 22X17X1,5 INLET VALVE | | |
| 6 | 485061010 | STAIN LESS STEEL SPRING | | |
| 7 | 485078010 | GASKET | | |
| 8 | 402209010 | OR 10.82 X 1.78 NSF | | |
| | ⇄ 402209000 | O-RING GASKET 10,82X1,78 NF | | |
| 10 | 533906000F | 2-WAY VALVE RPE | | |
| 12 | 402210000 | O-RING GASKET 6,75 X 1,78 NF | | |
| 13 | 402320000F | 21X15X2 NSF SEAL | | |
| 14 | 532305000 | FILTER | | |
| 16 | 532664300F | NOZZLE DIAM 0,6 | | |
| 17 | 532659000 | QUICK Y COUPLING | | |
| 19 | 972390000 | TEFLON PFA PIPE DIAM 4X6 L:860MM | | |
| 19 | 714905000 | KIT TUBI PFA TRASP. 2VAPORI 2GR | N:NSF | |
| 19 | 714900000 | KIT TUBI PFA TRASP. VAPORE 3GR | N:NSF | |
| 20 | 532662900F | CONNECTOR | | |
| 21 | 978566030F | STRAIGHT WATER TAP ASSEMBLY NSF 372 | | |
| | ⇄ 978566020F | STRAIGHT WATER TAP ASSEMBLY NSF 372 | | |
| 23 | 714765010F | COLD TOUCH STEAM WAND ASS. | | |
| | ⇄ 714765000F | COLD TOUCH STEAM WAND ASS. M40) | | |
| 24 | 402223010 | GASKET, OR 7.65X1.78 TS PROBE | | |
| 25 | 913438000 | STEAM NOZZLE | | |
| 26 | 714762000F | ROD W/GASKET SEAT ASS. (M40) | | |
| 27 | 590791010 | SCREW | | |
| 28 | 402321000F | TAP SEAL | | |
| 29 | 402219000 | O-RING 10,78X2,62 NF | | |
| 30 | 430119010 | SLEEVE | | |
| 31 | 485154000 | CLIP | | |
| 32 | 711062000 | STEAM KNOB RING | | |
| 33 | 711701020 | STEAM KNOB M200 | | |
| 35 | 590715000 | WASHER 22,15 X 1,2 | | |
| 36 | 568101000 | RING SEEGER | | |
| 37 | 936960030F | FORMAZIONE LANCIA ACQUA C/CALOTTA PLAST. | | |
| 37 | 714935000F | FORMAZIONE LANCIA ACQUA CORTA INOX | M:JP | |
| 38 | 985716020F | M22X1 JET BREAKER | | |





Per i particolari non codificati vedere la tabella
*Pour les pieces détachées pas codifiées se référer aux vues éclatées*
For the parts not listed, please refer to the table
*Bezüglich der nicht kodifizierten Ersatzteile bitte die Tabelle varwanden*
Por los repuestos non codificados rogamos de utilizar la tabula
*Pelos particulares no codificados outar as tabela*

→ AK-D01


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 4 | 533906000F | 2-WAY VALVE RPE | | |
| 6 | 714902000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 3G | N:NSF | |
| 2 | 532656600 | T-SHAPED CONNECTOR | | |
| 1 | 220000022 | RILSAN PIPE 4X6 | | |
| 6 | 714907000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 2G | N:NSF | |
| 5 | 532656800 | D.6-G1/8 M VERT. T.CONN. | | |
| 6 | 981950000 | PFA TUBE DIAM. 6X4 LENGTH 40MM SP. | | |
| 3 | 532664300F | NOZZLE DIAM 0,6 | | |


AK-K01
AK-B03
28
2
6
A
1
3
4
5
9
10
5
17
A
7
8
3
17
21
11
22
23
12
13
14
18
24
25
26
27
29
20
19
16


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 956136010 | COMPRESSOR NOZZLE DIAM. 0.35 | | |
| 2 | 938897000 | 24 "TURBOSTEAM" COMPRESSOR | | |
| 3 | 220000013 | SILICONE PIPE D 3X6 | | |
| 4 | 534600300 | SILENCER | | |
| 5 | 220000022 | RILSAN PIPE 4X6 | | |
| 6 | 533906600F | 3-WAY VALVE RPE DIAM 2.7MM -3°2MM | | |
| 7 | 532302720 | Y-UNION | | |
| 8 | 220000016 | SILICONE PIPE D 6X10 | | |
| 9 | 532664400F | T-SHAPED CONNECTOR | | |
| 10 | 934316000 | §6 FAST UNION FOR PIPE 3X6 | | |
| 11 | 972444000 | S60 SHIELDED CABLE | | |
| 12 | 402223010 | GASKET, OR 7.65X1.78 TS PROBE | | |
| 13 | 485296030 | UPGRADE JOINT | | |
| 14 | 401195010 | GASKET 14,5X10,2X1,5 | | |
| 16 | 402250010 | VITON OR 3.68X1.78 NSF | | |
| 17 | 966026000 | TUBE BENDER | | |
| 18 | 947581010 | TURBOSTEAM BUTTON PAD | | |
| 19 | 402218010 | OR 14X1.78 NSF | | |
| 20 | 985757000 | BULB TERMINAL ASSY TSCT SP.PARTS | | |
| 21 | 532660200F | ELBOW JOINT 1/4 M D.6 F ADJUST. | | |
| 22 | 485289000 | ROLLER | | |
| 23 | 402186010 | OR 34.52X3.53 PLATIN. GASKET | | |
| 24 | 714168000 | TS BUTTON PAD RING M40 | | |
| 25 | 711062000 | STEAM KNOB RING | | |
| 26 | 985510030F | ASSIEME TUBI TSCT MEDIO | | |
| | ⇄ 985510020F | TSCT TUBE ASSEMBLY - AVERAGE | | |
| 27 | 714583010F | ASS. TERMOCOPPIA MEDIA TSCT M8 | | |
| 28 | 972390000 | TEFLON PFA PIPE DIAM 4X6 L:860MM | | |
| 28 | 714906000 | KIT TUBI PFA TRASP.VAPORE +TS 2GR | N:NSF | |
| 28 | 714901000 | KIT TUBI PFA TRASP.VAP.TS 3GR | N:NSF | |
| 29 | 714847010 | ASS. TURBOSTEAM TSCT P301 M8 | | |


20
19
18
17
9
21
2
10
11
12
2
13
7
2
8
1
2
3
5
6
2
21
1
14
15
16
2
3
2
3
4


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 532662500F | 1/4G D6 STRAIGHT CONNECTOR | | |
| 2 | 401250010 | GASKET § 17,9X14,2X1,5 | | |
| 3 | 594537010 | BLIND NIPPLE 1/4 GAS ST. STEEL | | |
| 4 | 956160010 | BOILER RESISTOR GUARD | | |
| 5 | 401194010 | GASKET BOILER FLANGE | | |
| 5 | 402328000F | RESISTOR FLANGE GASKET | M:JP | |
| 6 | 714582000F | BOILER RESISTOR 4800W 230V (M40) | | |
| 7 | 418941020 | ANTI-UNDERTOW VALVE ASS. | | |
| 8 | 946810000 | LEVEL PROBE ASSEMBLY | | |
| 9 | 966492000 | SAFETY VALVE PROTECTION | | |
| 10 | 532746200 | CABLE TIE-RAPS WITH SCREW | | |
| 11 | 532601000 | HOSE ADAPTOR | | |
| 12 | 532392700 | SAFETY VALVE 2,3 1/4G | | |
| 13 | 220000017 | SILICONE PIPE D 10X15 | | |
| 14 | 402287010 | OR 11.1X1.78 VITON P018 | | |
| 15 | 401235020 | GASKET 11X6,5X1,5 | | |
| 16 | 531194810 | COFFEE BOILER PROBE | | |
| 17 | 972505020F | SERVICES WATER HEATER | | |
| 18 | 972295000 | WATER HEATER INSULATION - RESISTOR SIDE | | |
| 19 | 972296010 | WATER HEATER INSULATION | | |
| 20 | 972294000 | LH WATER HEATER INSULATION | | |
| 21 | 532660200F | ELBOW JOINT 1/4 M D.6 F ADJUST. | | |


AVAILABLE 01/01/2025
AK-C01B
1
2
3
4
5
6
7
8
9
10
Per i particolari non codificati vedere la tabella
Pour les pieces détachées pas codifiées se référer aux vues éclatées
For the parts not listed, please refer to the table
Bezüglich der nicht kodifizierten Ersatzteile bitte die Tabelle varwanden
Por los repuestos non codificados rogamos de utilizar la tabula
Pelos particulares no codificados outar as tabela
AK-C01

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 536411000 | Cablaggio M40 SENS PRESSIONE | | |
| 2 | 531197700 | PRESSURE SENS. 2 BAR | | |
| 3 | 714953010F | ASS.TUBO SENSORE PRESSIONE M40 | | |
| 3 | 714953002F | ASS.TUBO SENSORE PRESSIONE TEA B Plus M4 | N:NSF | |
| 4 | 532501520R | SO 1100-6-1/4 RAC. DIRITTO C/TEAB+ | | |
| | ⇄ 532501510R | SERTO STRAIGHT CONNECTOR 1100-6-1/4 | | |
| 5 | 772503000F | RESISTENZA CALDAIA 4800W 230V DIFF. | | |
| 6 | 402277010 | OR 46.99 X 5.33 VITON | | |
| 7 | 401250010 | GASKET § 17,9X14,2X1,5 | | |
| 8 | 714288000F | ADATT. RACC. 1/4 GAS FONDO CALDAIA | | |
| 9 | 532660200F | ELBOW JOINT 1/4 M D.6 F ADJUST. | | |
| 10 | 940077000 | SCREW -1/8 | | |


14
13
15
14
16
17
18
AK-J01
6
7
8
1
2
3
4
9
10
11
12
5


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 972504030F | BOILER ASS. S60 | | |
| 2 | 401194010 | GASKET BOILER FLANGE | | |
| 2 | 402328000F | RESISTOR FLANGE GASKET | M:JP | |
| 3 | 714581000F | BOILER RESISTOR 2400W 230V (M40) | | |
| 4 | 956160010 | BOILER RESISTOR GUARD | | |
| 5 | 531194720 | SFTY. THERMOSTAT | | |
| 6 | 531194810 | COFFEE BOILER PROBE | | |
| 7 | 401235020 | GASKET 11X6,5X1,5 | | |
| 8 | 532660000F | ELBOW JOINT 1/8 M D.4 F ADJUST. | | |
| 9 | 401250010 | GASKET § 17,9X14,2X1,5 | | |
| 10 | 419947000 | BOILER DRAIN ASS. - STRAIGHT 1/8 | | |
| 11 | 402225010 | OR 9,13X2,62VITON NSF | | |
| | ⇄ 402225000 | O-RING 9,13X2,62 VIT. | | |
| 12 | 419077010 | DRAIN TAP DISC | | |
| 13 | 532658700F | 90 COUPLING 930X4M-6F-1/8 | | |
| 14 | 981950000 | PFA TUBE DIAM. 6X4 LENGTH 40MM SP. | | |
| 14 | 714907000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 2G | N:NSF | |
| 14 | 714902000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 3G | N:NSF | |
| 15 | 533906300F | EXPANSION VALVE 12BAR RPE | | |
| 16 | 532664200F | NON-RETURN VALVE DIAM 6 | | |
| 17 | 940077000 | SCREW -1/8 | | |
| 18 | 401234000 | GASKET COPPER | | |




AVAILABLE 01/01/2025


Per i particolari non codificati vedere la tabella
*Pour les pieces détachées pas codifiées se référer aux vues éclatées*
For the parts not listed, please refer to the table
*Bezüglich der nicht kodifizierten Ersatzteile bitte die Tabelle varwanden*
Por los repuestos non codificados rogamos de utilizar la tabula
*Pelos particulares no codificados outar as tabela*
➡ **AK-C02**

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 772500010F | ASS. BOILER CAFFE' 1.1L | | |
| 3 | 772502000F | RESISTENZA BOILER 2400W 230V | | |
| 2 | 402277010 | OR 46.99 X 5.33 VITON | | |


D
C
22
12
13
13
C
9
*
15
1
2
3
4
5
7
6
17
A
18
11
D
10
19
20
21
16
B
A
B
A
8
Ø 0.5 mm
23
Ø 0.6 mm
24
Ø 0.8 mm
AK-M01

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 714402000F | GUARNIZIONE GRUPPO CAFFE' SILICONE | | |
| 2 | 714091027 | COFFEE GROUP BELL (M40) | | |
| 3 | 457400002F | DISCO DOCCIA CW510L TEAB+ | | |
| | ⇄ 457400005F | SHOWER DISC | | |
| 4 | 457504000 | SHOWER INOX | | |
| 5 | 503605140 | COUNTER-SUNK HEAD SCREW M5X14 | | |
| 6 | 400293000 | O-RING 4.48X1.78 | | |
| 7 | 714889000 | RIC.VITE GRUPPO CON OR | | |
| 8 | 714255000F | COFFEE GROUP NOZZLE 0.5MM (M40) | | |
| 9 | 714260005F | MANUAL BALL VALVE FOR TUBE D.4 (M40) | | |
| 10 | 533896540R | EV 3VIE BASETTA 24V cc RUBINO | | |
| | ⇄ 533896520R | 3-WAY SOL.VALVE BASE 24V DC RUBY CLB | | |
| 11 | 530501200 | OR 2025 | | |
| 12 | 714880000 | TUBE 4X2X1000 PACKAGED (SP.PART) (M40) | | |
| 12 | 714907000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 2G | N:NSF | |
| 12 | 714902000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 3G | N:NSF | |
| 13 | 532655900 | G1/8 M RUBB.CONN. | | |
| 15 | 534393910F | VOLUMETRIC COUNTER FM57RT-C-CO 1/8GAS | | |
| 16 | 531195300 | UNIPOL. THERMOSTAT TY60R T.110°C M4-M40 | | |
| 17 | 714882000 | HEATER CONTACT SUPP. M40 (SP.PART)(M40) | | |
| 18 | 714092020 | RISCALDATORE GRUPPO P301 | | |
| | ⇄ 714092010 | GROUP HEATER (M40) | | |
| 19 | 532659800F | STRAIGHT CONN. 1/8M D.4F | | |
| 20 | 714094000 | GROUP TEMPERATURE PROBE (M40) | | |
| 21 | 714090030F | COFFEE GROUP BODY (M40) | | |
| 22 | 714881000 | COFFEE GR M40 W/PACKAGING (SP.PART) (M40) | | |
| 23 | 714250000 | UGELLO Diam. 0.6mm | | |
| 24 | 946278000 | NOZZLE DIAM. 0.8MM | | |


AVAILABLE 06-2025





Per i particolari non codificati vedere la tabella
*Pour les pieces détachées pas codifiées se référer aux vues éclatées*
For the parts not listed, please refer to the table
*Bezüglich der nicht kodifizierten Ersatzteile bitte die Tabelle varwanden*
Por los repuestos non codificados rogamos de utilizar la tabula
*Pelos particulares no codificados outar as tabela*

➡ **AK-H01**


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 714402000F | GUARNIZIONE GRUPPO CAFFE' SILICONE | | |
| 2 | 714391007 | CAMPANA GRUPPO CAFFE' 2025 | | |
| 3 | 714390000F | CORPO GRUPPO CAFFE' 2025 | | |
| 4 | 714891000 | M40 COFFEE GROUP 2025 | | |


4
7
AK-J01
B
11
5
12
AK-J01
4
C
3
4
8
AK-D01
AK-C01
6
13
2
14
AK-D01
15
2
AK-C02
16
2
1
1
2
AK-H01
10
9
2
AK-H01


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 532656600 | T-SHAPED CONNECTOR | | |
| 2 | 714880000 | TUBE 4X2X1000 PACKAGED (SP.PART) (M40) | | |
| 2 | 714907000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 2G | N:NSF | |
| 2 | 714902000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 3G | N:NSF | |
| 3 | 533906000F | 2-WAY VALVE RPE | | |
| 4 | 220000022 | RILSAN PIPE 4X6 | | |
| 5 | 966026000 | TUBE BENDER | | |
| 6 | 972390000 | TEFLON PFA PIPE DIAM 4X6 L:860MM | | |
| 6 | 714902000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 3G | N:NSF | |
| 6 | 714907000 | KIT TUBI PFA TRASP.GRUPPI CAFFE 2G | N:NSF | |
| 7 | 532665300F | NOZZLE DIAM. 0.8MM - QUICK COUPLING 6MM | | |
| 8 | 532659000 | QUICK Y COUPLING | | |
| 9 | 532390600 | DRAIN PIPE | | |
| 10 | 532600600 | GASKET | | |
| 11 | 220000016 | SILICONE PIPE D 6X10 | | |
| 12 | 220000017 | SILICONE PIPE D 10X15 | | |
| 13 | 710180000 | DRAINAGE COLLECTION CAP | | |
| 14 | 710361000 | SINGLE-SIDED ADHESIVE GASKET TH.3MM | | |
| 15 | 710549000 | DRAINAGE CONVEYOR | | |
| 16 | 710294000 | Y DRAINAGE JOINT | | |


19
17
10
9
15
11
16
1
A
16
18
12
13
14
1
2
B
AK-E01
AK-E01
C
5
1
2
2
1
2
6
1
6
1
7
13
8
A
2
1
3
20
4


| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 220000022 | RILSAN PIPE 4X6 | | |
| 2 | 966026000 | TUBE BENDER | | |
| 3 | 533897400 | SOLENOID VALVE 24V DC 3/4G | | |
| 4 | 532306000F | WIRED TUBE 3/8-3/4GAS AT 90 DEGREES | | |
| 4 | 532306100F | WIRED TUBE ASSEMBLY 3/8-3/4GAS AT 90# | N:NSF | |
| 5 | 532656700 | T-SHAPED CONNECTOR | | |
| 6 | 532664200F | NON-RETURN VALVE DIAM 6 | | |
| 7 | 532656800 | D.6-G1/8 M VERT. T.CONN. | | |
| 8 | 532501600R | FITTING 1/8 F | | |
| 9 | 536100500 | MOTOR 208-240V 50/60HZ | | |
| 10 | 537057000 | CAPACITOR 8 µF | | |
| 11 | 4741133394 | RUBBER ANTIVIBRATION | | |
| 12 | 3951133673 | TUBE FOR GAUGE | | |
| 13 | 401196010 | GASKET 8,5X4,5X1,5 | | |
| 14 | 590133000 | COUNTER NUT 1/8 | | |
| 15 | 981054000 | PUMPING HEAD COUPLING | | |
| 16 | 532656100 | G1/4 M RUBB.CONN. | | |
| 17 | 539000101 | CLIPS M8 | | |
| 18 | 531196010 | PRESSURE GAUGE | | |
| 19 | 533181500F | VOLUM.PUMP 180L/H PPS W/TEVO CONNECTORS | | |
| 20 | 940332000 | INLET FILTER | | |


Per i particolari non codificati vedere la tabella
Pour les pieces détachées pas codifiées se référer aux vues éclatées
For the parts not listed, please refer to the table
Bezüglich der nicht kodifizierten Ersatzteile bitte die Tabelle varwanden
Por los repuestos non codificados rogamos de utilizar la tabula
Pelos particulares no codificados outar as tabela
AK-J01
5
6
1
A
2
3
2
7
4
7
Ø7.5
A

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 530296110 | UNIQUE MOTOR SMA 220÷240V 50/60HZ | | |
| 3 | 4081135955 | RING | | |
| 6 | 531494300 | METAL. COND. 10 UF DUCATI 416.33.27 | N:UL | |
| 5 | 533182010F | POMPA VOLUM.180L/H PPS C/RACCORDI TEVO M | | |
| | ⇄ 533182000F | POMPA VOLUM.180L/H PPS C/RACCORDI TEVO M | | |
| 2 | 4821135956 | CONNECTION | | |
| 4 | 532410000 | Raccordo 3/8G D6 | | |
| 6 | 531492900 | CAPACITOR 10MF | | |
| 7 | 714352000F | RACCORDO SPECIALE PER TUBO | | |


17
25
26
27
13
14
6
7
18
19
29
8
9
28
20
21
22
10
15
16
11
23
24
CC15A
12
1
2
1
4
5
3

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 532729700 | BOARD SUPPORT | | |
| 2 | 537067520 | SCHEDA CPU IDEA RIC. | | |
| 3 | 538176010 | RELE 230VAC 25A RF1A23D25 | | |
| 4 | 947987010 | LIGHT AND TURBOSTEAM SUPPORT CARD | | |
| 5 | 536334020 | P301 2GR 3GR Bassa Tensione | | |
| 6 | 532178600 | PVC FAIRLEAD | | |
| 7 | 421214000 | WIRE | | |
| 8 | 531404200 | PHASE FILTER 115/250V 50/60 HZ | | |
| 9 | 532123300 | CORD FIXING LOCK | | |
| 10 | 538165000 | POWER SUPPLY | | |
| 11 | 532732900 | SPACER M3XH.14 F/F | | |
| 12 | 532174600 | SPACER | | |
| 13 | 937075000 | FAIRLEAD | | |
| 14 | 532161500 | TERMINAL BOARD | | |
| 15 | 713741000 | TRIAC BOARD | | |
| 16 | 532174700 | SPACER FOR ELECTRONIC BOARD | | |
| 17 | 536327000 | 2GR 3GR HIGH VOLTAGE (M40) | | |
| 18 | 531503520 | CONTACTOR 4P 220/240V | | |
| 18 | 531508600 | MINI-COUNTER 20A 200V 50/60HZ | M:JP | |
| 19 | 531194720 | SFTY. THERMOSTAT | | |
| 20 | 532024500 | SWITCH | | |
| 20 | 532029700 | INTERRUTTORE EVEREL B4MASK 20A | M:JP | |
| 21 | 532175710 | MORSETTIERA OK501 C+C 6 P FASTON VERT. | | |
| | ⇄ 532175700 | TERMINAL BOARD | | |
| 22 | 535982000 | FUSES ADAPTOR | N:UL | |
| 23 | 530111000 | FUSE HOLDER | N:UL | |
| 24 | 530112200 | FUSE CC15 A | N:UL | |
| 25 | 530191800 | SINGLE-PHASE SUPPLY CABLE UL 3X8 AWG L=2 | N:UL | |
| 26 | 532170400 | FIXCABLE | N:UL | |
| 27 | 532169510 | UL - CSA PLUG, 50A 250V | N:UL | |
| 28 | 532163000 | JUMPER | N:UL | |
| 29 | 530491000 | SUPPLY WIRE MONO3X4 | | |


12
13
17
5
6
7
8
9
10
14
15
11
16
1
2
3
4

| Pos | Part Number | Description | Validity | Notes |
|---|---|---|---|---|
| 1 | 457163000 | 1 CUP FILTER | | |
| 2 | 457249010 | 1 CUP FILTER | | |
| 3 | 457232000 | FILTER 1 COFFEE | | |
| 4 | 457233000 | FILTER 2 COFFEE | | |
| 5 | 629000300 | 8" ALLEN KEY | | |
| 6 | 457443000F | SPOUT SHORT SCREW | | |
| 7 | 458101000 | SPRING FILTERHOLDER | | |
| 8 | 457436007F | CHROME-PLATED FILTER-HOLDER CUP | | |
| 9 | 457599000F | 1-WAY SPOUT | | |
| 10 | 457598000F | 2-WAY SPOUT | | |
| 11 | 800021902 | SHOWER WASCHER BLIND FILTER | | |
| 12 | 957854010F | CIMBALI BRASS/DESMO 1-WAY FILTER-HOLDER | | |
| 13 | 957853010F | CIMBALI BRASS/DESMO 2-WAY FILTER-HOLDER | | |
| 14 | 457588010 | DESMOPAN FILTER-HOLDER GRIP | | |
| 15 | 457592000 | CAP | | |
| 16 | 457062020 | BELL CLEANING BRUSH | | |
| 17 | 629000770 | CIMBALI FILTER REMOVAL LEVER | | |




Copyright © 2014 Gruppo Cimbali S.p.A.