

C22 Cleaning Tab

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Date of issue: 01/06/2018

Revision date: 01/06/2018

Version: 1.0

SDS No: 11073-0031

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : C22 Cleaning Tab

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : For professional use
Detergent for automatic washing of ovens

1.2.2. Uses advised against

Restrictions on use : The product should not be used for purposes other than those shown above without first referring to the supplier and obtaining written handling instructions

1.3. Details of the supplier of the safety data sheet

Electrolux Professional SpA
viale Treviso 15
33170 Pordenone - Italy
T +39 0434 3801
epr.chemicals@electrolux.com

1.4. Emergency telephone number

Emergency number : +44 1235 239670

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Corrosive to metals, Category 1 H290
Skin corrosion/irritation, Category 1A H314
Serious eye damage/eye irritation, Category 1 H318
Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

May be corrosive to metals. Causes severe skin burns and eye damage.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Hazardous ingredients :

Sodium hydroxide

Hazard statements (CLP) :

H290 - May be corrosive to metals.
H314 - Causes severe skin burns and eye damage.

Precautionary statements (CLP) :

P260 - Do not breathe dust.
P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a doctor.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Mixture of the substances listed below with harmless additives

C22 Cleaning Tab

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11073-0031



Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	85 - 90	Met. Corr. 1, H290 Skin Corr. 1A, H314
Sodium metasilicate	(CAS-No.) 6834-92-0 (EC-No.) 229-912-9 (EC Index-No.) 014-010-00-8 (REACH-no) 01-2119449811-37	10 - 15	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335
Fatty alcohol polyglycoether	(REACH-no) 02-2120117035-71	1 - 3	Eye Irrit. 2, H319
Sodium carbonate	(CAS-No.) 497-19-8 (EC-No.) 207-838-8 (EC Index-No.) 011-005-00-2	1 - 3	Eye Irrit. 2, H319
Alcohols, C12-18, ethers with polyethylene glycol mono-butyl ether	(CAS-No.) 146340-16-1 (EC-No.) 604-522-5	0,5 - 1	Skin Irrit. 2, H315 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6 (REACH-no) 01-2119457892-27	(0.5 =<C < 2) Eye Irrit. 2, H319 (0.5 =<C < 2) Skin Irrit. 2, H315 (2 =<C < 5) Skin Corr. 1B, H314 (5 =<C <= 100) Skin Corr. 1A, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a physician immediately.
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Rinse skin with water/shower. Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: Burns.
Symptoms/effects after eye contact	: Serious damage to eyes.
Symptoms/effects after ingestion	: Burns.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam. Fire-extinguishing activities according to surrounding.
Unsuitable extinguishing media	: Water. Reacts with water (moisture) : heat release.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: In case of fire and/or explosion do not breathe fumes.
--	--

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Wear personal protective equipment. Keep public away from danger area.
------------------	--

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.
----------------------	--

C22 Cleaning Tab

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11073-0031



6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Mechanically recover the product. Keep in suitable, closed containers for disposal.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

Information for safe handling look up section 7. Information for personal protective equipment look up section 8. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Keep container tightly closed. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep away from food, drink and animal feeding stuffs. Store in corrosive resistant container with a resistant inner liner. Keep only in original container. Store locked up. Store in a well-ventilated place. Keep cool. Store in a dry place. Protect from moisture.
Incompatible materials : Metals.

7.3. Specific end use(s)

Detergent. For professional users only.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium hydroxide (1310-73-2)		
United Kingdom	Local name	Sodium hydroxide
United Kingdom	WEL STEL (mg/m ³)	2 mg/m ³
United Kingdom	Regulatory reference	EH40/2005 (Third edition, 2018). HSE

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:

Select the appropriate glove material adhering to the breakthrough time, permeation rate and the degradation. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
protective gloves	Natural rubber, Neoprene, Butyl rubber, Polyvinylchloride (PVC)				EN ISO 374

Eye protection:

Safety glasses. EN 166.

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Not required for normal conditions of use

Environmental exposure controls:

Avoid release to the environment.

C22 Cleaning Tab

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11073-0031



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: tablet.
Colour	: white.
Odour	: characteristic.
Odour threshold	: No data available
pH	: ≥ 13 (Solution, 1 %)
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: > 150 °C
Flammability (solid, gas)	: Non flammable.
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.5 g/cm ³
Solubility	: Water: Material highly soluble in water
Log Pow	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable

9.2. Other information

VOC content	: 0 %
Percent Solids	: 100 %

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reacts exothermically with water (moisture). Contact with metallic substances may release flammable hydrogen gas. Reacts violently with acids.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. metals. Oxidizing agent. Water. Aluminium. Light metals and alloys.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Sodium metasilicate (6834-92-0)

LD50 oral	600 mg/kg
-----------	-----------

Fatty alcohol polyglycoether

LD50 oral rat	> 2000 mg/kg
---------------	----------------

C22 Cleaning Tab

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11073-0031



Sodium carbonate (497-19-8)

LD50 oral rat	4090 mg/kg
LD50 oral	2800 mg/kg
LC50 inhalation rat (mg/l)	2300 mg/m ³ (Exposure time: 2 h)
LC50 inhalation rat (Dust/Mist - mg/l/4h)	1.2 mg/l/4h

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: >= 13 (Solution, 1 %)
Serious eye damage/irritation	: Causes serious eye damage. pH: >= 13 (Solution, 1 %)
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms.
Acute aquatic toxicity	: Not classified
Chronic aquatic toxicity	: Not classified

Sodium hydroxide (1310-73-2)

LC50 fish 1	> 35 mg/l
EC50 Daphnia 1	40 mg/l
EC50 other aquatic organisms 1	> 33 mg/l Water flea

Sodium metasilicate (6834-92-0)

LC50 fish 1	210 mg/l
LC50 fish 2	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)

Fatty alcohol polyglycoether

EC50 72h algae (1)	> 100 mg/l (Growth rate) Scenedesmus subspicatus (static)
--------------------	---

Sodium carbonate (497-19-8)

LC50 fish 1	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)
LC50 fish 2	310 - 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

12.2. Persistence and degradability

C22 Cleaning Tab

Persistence and degradability	No data available.
-------------------------------	--------------------

12.3. Bioaccumulative potential

C22 Cleaning Tab

Bioaccumulative potential	No data available.
---------------------------	--------------------

Sodium hydroxide (1310-73-2)

Log Pow	-3.88
---------	-------

C22 Cleaning Tab

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11073-0031

Sodium carbonate (497-19-8)

BCF fish 1 No bioaccumulation

12.4. Mobility in soil

C22 Cleaning Tab

Ecology - soil No data available.

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

Other adverse effects : Slightly hazardous to water.

SECTION 13: Disposal considerations

13.1. Waste treatment methods






Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Disposal must be done according to official regulations.

Sewage disposal recommendations : Do not discharge into drains or waterways without neutralizing. Cautiously neutralize remainder. Neutralize with an acid.

Product/Packaging disposal recommendations : Entrust the uncontaminated packaging to a licensed waste contractor. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Disposal must be done according to official regulations.

SECTION 14: Transport information

In accordance with ADR / RID / ADN / IMDG / IATA

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN 1823	UN 1823	UN 1823	UN 1823	UN 1823
14.2. UN proper shipping name				
SODIUM HYDROXIDE, SOLID (MIXTURE)	SODIUM HYDROXIDE, SOLID (MIXTURE)	Sodium hydroxide, solid (MIXTURE)	SODIUM HYDROXIDE, SOLID (MIXTURE)	SODIUM HYDROXIDE, SOLID (MIXTURE)
Transport document description				
UN 1823 SODIUM HYDROXIDE, SOLID (MIXTURE), 8, II, (E)	UN 1823 SODIUM HYDROXIDE, SOLID (MIXTURE), 8, II	UN 1823 Sodium hydroxide, solid (MIXTURE), 8, II	UN 1823 SODIUM HYDROXIDE, SOLID (MIXTURE), 8, II	UN 1823 SODIUM HYDROXIDE, SOLID (MIXTURE), 8, II
14.3. Transport hazard class(es)				
8	8	8	8	8
				
14.4. Packing group				
II	II	II	II	II
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available				

14.6. Special precautions for user

Overland transport


Classification code (ADR) : C6
Limited quantities (ADR) : 1kg
Excepted quantities (ADR) : E2
Packing instructions (ADR) : P002, IBC08

C22 Cleaning Tab

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11073-0031

Mixed packing provisions (ADR) : MP10
Transport category (ADR) : 2
Hazard identification number (Kemler No.) : 80
Orange plates :



Tunnel restriction code (ADR) : E
EAC code : 2W

Transport by sea

Packing instructions (IMDG) : P002
EmS-No. (Fire) : F-A
EmS-No. (Spillage) : S-B
Segregation (IMDG) : SG35

Properties and observations (IMDG) : White pellets, flakes, lumps or solid blocks, deliquescent. Reacts with ammonium salts, evolving ammonia gas. In the presence of moisture, corrosive to aluminium, zinc and tin. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

MFAG-No : 154

Air transport

PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y844
PCA limited quantity max net quantity (IATA) : 5kg
PCA packing instructions (IATA) : 859
PCA max net quantity (IATA) : 15kg
CAO packing instructions (IATA) : 863
CAO max net quantity (IATA) : 50kg
ERG code (IATA) : 8L

Inland waterway transport

Classification code (ADN) : C6
Limited quantities (ADN) : 1 kg
Excepted quantities (ADN) : E2
Carriage permitted (ADN) : T
Equipment required (ADN) : PP, EP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C6
Limited quantities (RID) : 1kg
Excepted quantities (RID) : E2
Packing instructions (RID) : P002, IBC08
Transport category (RID) : 2
Hazard identification number (RID) : 80

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

VOC content : 0 %

C22 Cleaning Tab

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
SDS No: 11073-0031



Other information, restriction and prohibition regulations : Regulation (EC) No 648/2004 (Regulation on detergents): <5% non-ionic surfactants.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Met. Corr. 1	H290	Calculation method
Skin Corr. 1A	H314	On basis of test data
Eye Dam. 1	H318	

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.